

JAN-29-02 15:37 From:

T-227 P.09/11 Job-188

EXHIBIT A

Thermo Shandon

[Home](#) > [Content](#) > [Products](#) > [Histology](#) > [Equipment](#) > [Tissue Processors](#) >

[ABOUT US](#) [NEWS & EVENTS](#) [INVESTORS](#) [INDUSTRIES](#) [PRODUCTS](#) [TECHNOLOGIES](#) [APPLICATIONS](#) [SUPPORT](#)

[Product Home Page](#) > [Histology](#) > [Equipment](#) > [Tissue Processors](#) >

PRODUCTS

► Pathcentre with Organized Basket

The Pathcentre Enclosed Tissue Processor is our high-volume, totally enclosed tissue processor. The Pathcentre offers complete user control, excellent reagent agitation, remote monitoring from home, help screens that guide the user through programming, and reverse processing capability.

Specifications:


Standard features

Wax Drain Container; Reaction Chamber Drain Filter; Reagent Storage Bottles; Reagent Bottle Labels; Airbag; Charcoal Filter; Overfill Sensor; Tissue Basket Handle; Viton Seal; Cassette Basket; Wax Chamber Seal; Operator Manual; Reagent Bottle Pour Spout; Wax Drain Key Large Block Basket; Random Cassette Basket; Organized Cassette Basket; Wax Bag; Service Manual; Netmon Software; Netmon Service Package; Printer; Cable; Bottle Connector Seals; Reagent Bottles Caps

Optional features

Extension Units and Portable Wax Stations available.

Extendible Design



Product Views

| [Full](#) |

[Contact Sales](#)

Product	Dimensions	Voltage/Hz	Weight	Agency Approvals
75200013	52" x 22" x 25" (220/240V, 50/60 Hz)	353 lbs	Designed to meet IEC 1010, UL, CSA, CE mark on 220/240V units	
75200014	52" x 22" x 25" (110/120V, 50/60Hz)	353 lbs	Designed to meet IEC 1010, UL, CSA, CE mark on 220/240V units	

JAN-29-02 15:37 From:
PRODUCTS FROM THERMO ELECTRON CORPORATION. A SUBSIDIARY OF VWR INTERNATIONAL.

T-227 P.11/11 Job-188

© 2001 Thermo Electron Corporation. All rights reserved. | [Privacy Statement](#) | [Terms and Conditions](#) | [Disclaimer](#)